

PLANTA - CAMARA DE INSPECCIÓN TIPO 2
S/ESC

Technical drawing showing the plan view of a Type 2 Inspection Chamber (Cámara de Inspección Tipo 2) without a manhole cover (S/ESC).

The drawing includes the following dimensions and labels:

- Overall width: 2.30
- Overall depth: 2.00
- Internal width (A): 0.885
- Internal depth (A'): 0.73
- Internal width (L): 0.73
- Internal depth (L'): 0.81
- Center label: TAPA
- Access label: Conducto de acceso a cámara de inspección
- Drainage label: Conducto desagüe pluvial 1,50 x 2,00m.
- Ground level label: Terreno natural o vereda s/ubicación

B

The drawing consists of two parts: a side view on the left and a top view on the right.

Side View (Left): Shows a cross-section of the window frame. A horizontal line represents the "Espacio para terminación según piso de vereda" (Space for finishing according to sidewalk level). Below it is a hatched area representing the "Horm. tipo 'H21'" (Concrete type 'H21'). At the bottom is the "Marco tapa P.N.L.D. 80x40x5" (Cover frame P.N.L.D. 80x40x5).

Top View (Right): Shows the plan of the window frame. The overall width is labeled "A' = 0.73" and the overall height is labeled "L' = 0.73". The frame is made of "Fe Y Ø 8 c/15 cm" (Steel Y Ø 8 c/15 cm). The frame is divided into a grid of "Huecos de sujeción" (Fastening holes). The frame is labeled "Fe X Ø 8 c/15 cm" (Steel X Ø 8 c/15 cm).

Terminación tapa según piso vereda

Tapa 0.73 x 0.73 H°
A° Fe Ø 8 c/15cm

Ø 6 c/20cm

0.66

0.885

0.15

0.30

GRAPAS CINCADAS Ø 22 mm

H° de Limpieza

ANCHO: 2.00

0.15

2.30

2.50

ALTURA VARIABLE

0.15

ALTURA: 1.50

0.20

0.15

 <div style="text-align: center;"> MUNICIPALIDAD DE PARANÁ UNIDAD EJECUTORA MUNICIPAL Pro.Me.Ba. IV OBRA: COMPLETAMIENTO RED DE AGUA, PLUVIAL, VIAL Y EQUIPAMIENTO URBANO </div> 	
OBRA: Desagüe Pluvial, Red Vial y Peatonal UBICACIÓN Barrio Puente Blanco - Paraná - Entre Ríos PLANO: CÁMARA DE INSPECCIÓN TIPO 2 SOBRE CONDUCTO DE HºAº 1,50m x 2.00m 	ESC.: S/PLANO FECHA: Febrero 17 PLANO N° 38